

Humdinger Pull Scrapers

Designed To Improve Your Bottom Line.



GENERAL SPECS

622E

628E

631E

Heaped Capacity

22.1 Yds

28 Yds

31.2 Yds

Struck Capacity

14 Yds

18.3 Yds

21 Yds

Cutting Width

10 Ft 6 Inches

12 Ft

12 Ft

Gate Opening

65 Inches

65 Inches

65 Inches

Cutting Edge Clearance

23 Inches

23 Inches

23 Inches

Hitch Design

6 Inch Ball

6 Inch Ball

6 or 8 Inch Ball

**Quick Hitch Option Available*

**Quick Hitch Option Available*

**Quick Hitch Option Available*

Shipping Length

30 Ft 3 Inches

33 Ft 7 Inches

33 Ft 7 Inches

Shipping Width

11 Ft 11 Inches

13 Ft 6 Inches

13 Ft 6 Inches

Shipping Height

8 Ft 6 Inches

8 Ft 9 Inches

8 Ft 9 Inches

Shipping Weight

26,000 Lbs

33,500 Lbs

34,250 Lbs

Scrapers Engineered With Purpose



Lower Fuel, Labor, & Operating Costs Compared To Traditional Earth Moving Systems



Our High Struck To Heaped Ratio Provides Consistent Loads And Results In Higher Profit Per Pass



20,000 Hour Commercial Design Results In Lower Total Cost Of Ownership



Train Configurations Equip Your Fleet With The Flexibility To Grow With Your Projects




Designed, Manufactured, and Serviced in the USA


Tractor Towed

VS

Gooseneck ADT Hitch



Weight distribution is 25/75% tractor/scraper to maximize tractor longevity. The tractor tow model is best for light soils or high moisture content soils.



The gooseneck hitch allows for the scraper to be pulled with an articulated dump truck. Existing equipment may be utilized and this eliminates the cost of an additional pulling unit.

**Move More Dirt
FASTER**



**Move More Dirt
FOR LESS**



Built From Years Of Scraper Knowledge

Humdinger pull scrapers are designed with purpose and the intent to improve your bottom line. New models are extensively tested in the field to ensure quality and durability.

Versatile earthmoving for all jobs:

Site preparation, agriculture, road building, mining, land development, coal processing and more.

Peak performance in all conditions:

Sand, topsoil, clay, coal, silt, loam, hardpan, gypsum, granite, and more.

Each job site poses unique obstacles. Our engineering group is capable of providing unique solutions. Ask us about customizations.





HUMDINGER EQUIPMENT®

DESIGNED TO IMPROVE YOUR BOTTOM LINE



SCOTT SIMMONS
CELL: (806) 773-9785
OFFICE: (806) 771-9944
EMAIL: SCOTT@HUMDINGEREQUIPMENT.COM



CHARLIE CLEVELAND
CELL: (806) 928-9737
OFFICE: (806) 771-9944
EMAIL: CHARLIE@HUMDINGEREQUIPMENT.COM

Humdinger Equipment, Ltd.
3202 Clovis Road
Lubbock, TX 79415

Tel. 806-771-9944
Email: sales@humdingerequipment.com
www.humdingerequipment.com

